Month Jan.

2011

PREVENTATIVE MAINTENANCE SCHEDULE

	OOMBONIENT			
0	COMIT CINCIN	WAIN I ENANCE 1A07	INIEKVAL	
1.	LANE LEVEL			1
	Receipt Printer	Inspect and check signal cable	1 Week	CD
7	Touch Screen	Inspect and check cable connections	1 Week	3
	Booth Speaker	Inspect and check cable connections	1 Week	3
	VES Camera	Inspect, check cable connections and alignment	1 Week	G
	VES Lights	Inspect and check power cable	1 Week	0
	Triple Vault Cabinet	Inspect and adjust diverter cams	1 Week	1
	Double Vault Cabinet	Inspect and adjust diverter cams	1 Week	
	ACM Monitor and Mouse	Inspect and check cable connections	1 Week	
	Canopy Override Switch	Inspect / Test	1 Week	CD
	Attendant Identification Display	Inspect and check cable connections	1 Week	8
	Treadle Pad	Inspect and check cable connections	1 Week	3
	Traffic Loop	Inspect and check for functionality	1 Week	9
	Portable Terminal (PDA)	Inspect and check for connectivity	2 Week	
	Coin Sorter	Inspect, clean and calibrate	2 Week	
	Lane Controller	Inspect and clean	1 Month	
	Patron Fare Display	Clean Front Window	1 Month	
	Island Traffic Signals	Clean Front Lens	1 Month	
2	Autosense II	Sensor Beam Measurements	3 Months	
	AVI (MARKIV) Antenna	Inspect, clean and check cable	3 Months	
	(MARKIV) RF Module	Inspect	3 Months	
	sense Ⅱ	Inspect, clean lens and check cable connections	3 Months	

Month Jan 2011

COMPONENT	MAINTENANCE TASK	INTERVAL	TRMI Intials	COMMENTS
PLAZA LEVEL AVI (MARKIV) Cabinet	Inspect and clean	3 Months		
Leased Modems	Inspect and check cable connections	1 Month		
Wireless Access Point	Inspect and check cable connections	1 Month		
Plaza Workstation	Inspect and check cable connections	6 Months		
Laser Printer	Inspect and check cable connections	6 Months		
VES Server	Inspect and check cable connections	6 Months		
Ethernet Communications Hub	None			
UPS Units	Check Battery Condition		$\mathbb{C}_{\mathfrak{I}}$	

Host Computer Database (Toll) Host Computer Database (TRToll)	Check database status and performance Receive database export, test backups  Check database status and performance Receive database export, test backups	1 Week	All Marie	
Host Computer Database (TRToll)	Check database status and performance Receive database export, test backups	1 Week	<b>M</b>	
Host Computer Subsystems	Inspect, clean	6 Months		

Piaza Hocksett Side cood

Month Jan, 20(1)

COMPONENT	MAINTENANCE TASK	INTERVAL	TRMI INITIALS	COMMENTS
LANE LEVEL				
Receipt Printer	inspect and check signal cable	1 Week	(3) (3) (3)	
Touch Screen	Inspect and check cable connections	1 Week	ත	
Booth Speaker	Inspect and check cable connections	1 Week		
VES Camera	Inspect, check cable connections and alignment	1 Week		
VES Lights	Inspect and check power cable	1 Week		
Triple Vault Cabinet	Inspect and adjust diverter cams	1 Week		
Double Vault Cabinet	Inspect and adjust diverter cams	1 Week		
ACM Monitor and Mouse	inspect and check cable connections	1 Week		
Canopy Override Switch	Inspect / Test	1 Week	<b>(3)</b>	
Attendant Identification Display	Inspect and check cable connections	1 Week	(C) (C) (C)	
Treadle Pad	Inspect and check cable connections	1 Week	(S) (C) (C)	
Traffic Loop	Inspect and check for functionality	1 Week	(5 (8 (9 (9)	
Portable Terminal (PDA)	Inspect and check for connectivity	2 Week		
Coin Sorter	Inspect, clean and calibrate	2 Week		
Lane Controller	Inspect and clean	1 Month	S	
Patron Fare Display	Clean Front Window	1 Month	CS	
Island Traffic Signals	Clean Front Lens	1 Month	W	
Autosense II	Sensor Beam Measurements	3 Months		
AVI (MARKIV) Antenna	inspect, clean and check cable	3 Months		
AVI (MARKIV) RF Module	Inspect	3 Months		
Autosense II	Inspect, clean lens and check cable connections	3 Months		PROGRAMMATICAL STREET,

Month Jan, 201

	A	1 Week	Check database status and performance Receive database export, test backups	Host Computer Database (TRToll)
	M	1 Week	Check database status and performance Receive database export, test backups	Host Computer Database (Toll)
				HOST LEVEL
	:			
	(C)		Check Battery Condition	UPS Units
			None	Ethernet Communications Hub
	R A	6 Months	Inspect and check cable connections	VES Server
	#10	6 Months	Inspect and check cable connections	Laser Printer
	41 M	6 Months	Inspect and check cable connections	Plaza Workstation
		1 Month	inspect and check cable connections	Wireless Access Point
	<u></u>	1 Month	inspect and check cable connections	Leased Modems
		3 Months	Inspect and clean	AVI (MARKIV) Cabinet
				PLAZA LEVEL
COMMENTS	TRMI Intials	INTERVAL	MAINTENANCE TASK	COMPONENT

Host Computer Subsystems

Inspect, clean

6 Months

Plaza <u>Bed रिल्ले</u>

Bedton Paza

Month Jan, 2011

		3 Months	Inspect, clean lens and check cable connections	Autosense II
		3 Months	Inspect	AVI (MARKIV) RF Module
		3 Months	Inspect, clean and check cable	AVI (MARKIV) Antenna
		3 Months	Sensor Beam Measurements	Autosense II
	CD	1 Month	Clean Front Lens	Island Traffic Signals
	(D	1 Month	Clean Front Window	Patron Fare Display
	CD	1 Month	Inspect and clean	Lane Controller
		2 Week	Inspect, clean and calibrate	Coin Sorter
		2 Week	Inspect and check for connectivity	Portable Terminal (PDA)
	(3) (3) (5) (5)	1 Week	Inspect and check for functionality	Traffic Loop
Replaced Treedile in S4,	(5) (5) (5) (5)	1 Week	Inspect and check cable connections	Treadle Pad
	(D) (D) (D)	1 Week	Inspect and check cable connections	Attendant Identification Display
	(D) (D) (D)	1 Week	Inspect / Test	Canopy Override Switch
		1 Week	Inspect and check cable connections	ACM Monitor and Mouse
		1 Week	inspect and adjust diverter cams	Double Vault Cabinet
		1 Week	Inspect and adjust diverter cams	Triple Vault Cabinet
	0000	1 Week	Inspect and check power cable	VES Lights
	(D) (D) (D)	1 Week	Inspect, check cable connections and alignment	VES Camera
	(D) (B) (B) (C)	1 Week	Inspect and check cable connections	Booth Speaker
	(D) (D) (D)	1 Week	Inspect and check cable connections	Touch Screen
	(D) (D) (D)	1 Week	Inspect and check signal cable	Receipt Printer
				LANE LEVEL
COMMENTS	TRMI INITIALS	INTERVAL	MAINTENANCE TASK	COMPONENT

Month Jan, 201)

COMPONENT	MAINTENANCE TASK	INTERVAL	TRMI Intials	COMMENTS
PLAZA LEVEL				
AVI (MARKIV) Cabinet	Inspect and clean	3 Months		
Leased Modems	Inspect and check cable connections	1 Month	G)	
Wireless Access Point	Inspect and check cable connections	1 Month		
Plaza Workstation	Inspect and check cable connections	6 Months	ATTERNATION OF THE PARTY OF THE	
Laser Printer	Inspect and check cable connections	6 Months		
VES Server	Inspect and check cable connections	6 Months		
Ethernet Communications Hub	None			
UPS Units	Check Battery Condition		(D)	
HOST LEVEL				
Host Computer Database (Toll)	Check database status and performance Receive database export, test backups	1 Week	M	
	Check database status and performance Receive		1/1/2	

			3 Months	inspect, clean lens and check cable connections	Autosense II
			3 Months	Inspect	AVI (MARKIV) RF Module
			3 Months	Inspect, clean and check cable	AVI (MARKIV) Antenna
			3 Months	Sensor Beam Measurements	Autosense II
	,		1 Month	Clean Front Lens	Island Traffic Signals
			1 Month	Clean Front Window	Patron Fare Display
		9	1 Month	Inspect and clean	Lane Controller
	(Z)	00	2 Week	Inspect, clean and calibrate	Coin Sorter
	P	Ø	2 Week	Inspect and check for connectivity	Portable Terminal (PDA)
	(S)	(2)	1 Week	Inspect and check for functionality	Traffic Loop
	() ()	8	1 Week	Inspect and check cable connections	Treadle Pad
	0	(S)	1 Week	Inspect and check cable connections	Attendant Identification Display
	(C)	(\$)	1 Week	Inspect / Test	Canopy Override Switch
	(D)	<i>(</i> )	1 Week	Inspect and check cable connections	ACM Monitor and Mouse
	The second se		1 Week	Inspect and adjust diverter cams	Double Vault Cabinet
	(X) (X)	S) (S)	1 Week	Inspect and adjust diverter cams	Triple Vault Cabinet
	(3) (3)	(S)	1 Week	Inspect and check power cable	VES Lights
	(I) (I)	O	1 Week	Inspect, check cable connections and alignment	VES Camera
	0	O) CD	1 Week	Inspect and check cable connections	Booth Speaker
	00 00	Ø	1 Week	Inspect and check cable connections	Touch Screen
	8	Ø	1 Week	Inspect and check signal cable	Receipt Printer
					LANE LEVEL
COMMENTS	IITIALS	TRMI INITIALS	INTERVAL	MAINTENANCE TASK	COMPONENT

Month Jan. 2011

COMPONENT	MAINTENANCE TASK	INTERVAL	TRMI Intials	COMMENTS
PLAZA LEVEL				
AVI (MARKIV) Cabinet	Inspect and clean	3 Months		
Leased Modems	Inspect and check cable connections	1 Month	CD	
Wireless Access Point	Inspect and check cable connections	1 Month	CD	
Plaza Workstation	Inspect and check cable connections	6 Months		
Laser Printer	Inspect and check cable connections	6 Months		
VES Server	Inspect and check cable connections	6 Months		
Ethernet Communications Hub	None			
UPS Units	Check Battery Condition		$\mathbb{C}$	
Host Computer Database (Toll)	Check database status and performance Receive database export, test backups	1 Week	M	
Host Computer Database (TRToll)	Check database status and performance Receive database export, test backups	1 Week	H	
Host Computer Subsystems	Inspect, clean	6 Months		

Host Computer Subsystems

6 Months

Attendant Identification Display AVI (MARKIV) RF Module Portable Terminal (PDA) ACM Monitor and Mouse Canopy Override Switch AVI (MARKIV) Antenna Double Vault Cabinet Island Traffic Signals Triple Vault Cabinet Patron Fare Display Lane Controller Receipt Printer COMPONENT Booth Speaker LANE LEVEL Touch Screen Autosense II Autosense II Treadle Pad VES Camera Traffic Loop Coin Sorter VES Lights Inspect, check cable connections and alignment Inspect, clean lens and check cable connections Inspect and check for functionality Inspect and check for connectivity Inspect and adjust diverter cams Inspect and adjust diverter cams Inspect, clean and check cable inspect and check power cable Inspect and check signal cable Sensor Beam Measurements Inspect, clean and calibrate MAINTENANCE TASK Clean Front Window inspect and clean Clean Front Lens Inspect / Test INTERVAL 3 Months 1 Week 3 Months 3 Months 3 Months 1 Month 1 Month 1 Week 1 Week 1 Week 1 Week 1 Week 1 Month 2 Week 2 Week 1 Week 1 Week 1 Week 1 Week 1 Week 1 Week G B 62 8 3 G B 8 0 J 8 J 8 TRMI INITIALS P T J 0 9 0 0 3 8 8 S B 8 J 0 9 ð J S 8 F Ø 0 9 9 8 3 V 9 S 0 8 Ş 0 Ŷ 9 0 0 COMMENTS

Month Jan 2011

Month Jan, 2011

COMPONENT	MAINTENANCE TASK	INTERVAL	TRMI Intials	COMMENTS
PLAZA LEVEL				
AVI (MARKIV) Cabinet	Inspect and clean	3 Months		
Leased Modems	Inspect and check cable connections	1 Month	CD	
Wireless Access Point	Inspect and check cable connections	1 Month	CD	
Płaza Workstation	Inspect and check cable connections	6 Months		
Laser Printer	Inspect and check cable connections	6 Months		
VES Server	Inspect and check cable connections	6 Months		
Ethernet Communications Hub	None			
UPS Units	Check Battery Condition		B	
Host Computer Database (Toll)	Check database status and performance Receive database export, test backups	1 Week	~	
Host Computer Database (TRToll)	Check database status and performance Receive database export, test backups	1 Week	ME	
Host Computer Subsystems	Inspect, clean	6 Months		

Host Computer Subsystems

Plaza Exit 12

Attendant Identification Display AVI (MARKIV) RF Module Canopy Override Switch ACM Monitor and Mouse Portable Terminal (PDA) AVI (MARKIV) Antenna Double Vault Cabinet Island Traffic Signals Triple Vault Cabinet Patron Fare Display COMPONENT Lane Controller Booth Speaker Receipt Printer LANE LEVEL Touch Screen Autosense II VES Camera Autosense II Coin Sorter Traffic Loop Treadle Pad VES Lights Inspect, clean lens and check cable connections Inspect, check cable connections and alignment Inspect and check cable connections Inspect and check for functionality Inspect and check for connectivity Inspect and adjust diverter cams Inspect and adjust diverter cams inspect, clean and check cable Inspect and check power cable Inspect and check signal cable Sensor Beam Measurements Inspect, clean and calibrate MAINTENANCE TASK Clean Front Window Inspect and clean Clean Front Lens Inspect / Test Inspect INTERVAL 3 Months 1 Month 1 Month 3 Months 3 Months 3 Months 1 Week 1 Week 1 Week 1 Week 1 Month 2 Week 1 Week 2 Week 1 Week G J T 8 G 3 T 8 P J B G \$ TRMI INITIALS J 0 8 0 7 ð 9 0 0 P 0 B 8 G 8 0 8 0 0 8 0 0 8 J 0 J d T B ð 0 8 8 0 8 COMMENTS

Month Jan. 2011

Month Jan, 2011

		]		
COMPONENT	MAINTENANCE TASK	INTERVAL	TRMI Intials	COMMENTS
PLAZA LEVEL				
AVI (MARKIV) Cabinet	Inspect and clean	3 Months		
Leased Modems	Inspect and check cable connections	1 Month	(D)	
Wireless Access Point	Inspect and check cable connections	1 Month	CD	
Plaza Workstation	Inspect and check cable connections	6 Months		
Laser Printer	Inspect and check cable connections	6 Months		
VES Server	Inspect and check cable connections	6 Months		
Ethernet Communications Hub	None			
UPS Units	Check Battery Condition		(D	
HOST LEVEL				
Host Computer Database (Toll)	Check database status and performance Receive database export, test backups	1 Week	W.	
	Check database status and performance Receive		74	

Host Computer Database (TRToll)

database export, test backups inspect, clean

6 Months

1 Week

Host Computer Subsystems

Plaza Hampton Main Month January 2011

	AMERICAN STATE OF THE STATE OF			
COMPONENT	MAINTENANCE TASK	INTERVAL	TRMI INITIALS	COMMENTS
LANE LEVEL				
Receipt Printer	Inspect and check signal cable	1 Week		Construction In Plaza
Touch Screen	Inspect and check cable connections	1 Week	(m) pu	
Booth Speaker	Inspect and check cable connections	1 Week	100 (No you you	
VES Camera	Inspect, check cable connections and alignment	1 Week	gad god gad gar	
VES Lights	Inspect and check power cable	1 Week	المراكز الدور المها المواد	
Triple Vault Cabinet	Inspect and adjust diverter cams	N/A	N/A N/A N/A N/A	
Double Vault Cabinet	Inspect and adjust diverter cams	N/A	N/A N/A N/A	
ACM Monitor and Mouse	Inspect and check cable connections	N/A	N/A N/A N/A	
Canopy Override Switch	Inspect / Test	N/A	N/A N/A N/A	
Attendant Identification Display	Inspect and check cable connections	1 Week	130 SW SW SW	
Treadle Pad	inspect and check cable connections	1 Week	Ş	
Traffic Loop	Inspect and check for functionality	1 Week	100 my Jan 300 Jan	
Portable Terminal (PDA)	Inspect and check for connectivity	N/A	N/A N/A N/A	
Coin Sorter	Inspect, clean and calibrate	N/A	N/A N/A N/A N/A	
Lane Controller	Inspect and clean	1 Month	500	
Patron Fare Display	Clean Front Window	1 Month	(AU	
Island Traffic Signals	Clean Front Lens	1 Month		
Autosense II	Sensor Beam Measurements	3 Months	Şhu	
AVI (MARKIV) Antenna	Inspect, clean and check cable	3 Months	S.Z	
AVI (MARKIV) RF Module	Inspect	3 Months	Ę	
Autosense II	Inspect, clean lens and check cable connections	3 Months		

Plaza Hampton Side Road Attendant Identification Display AVI (MARKIV) RF Module Canopy Override Switch ACM Monitor and Mouse Portable Terminal (PDA) AVI (MARKIV) Antenna Double Vault Cabinet Island Traffic Signals Triple Vault Cabinet Patron Fare Display LANE LEVEL COMPONENT Booth Speaker Receipt Printer Touch Screen Lane Controller VES Camera Autosense II Treadle Pad Autosense II Coin Sorter Traffic Loop VES Lights Inspect, check cable connections and alignment Inspect, clean lens and check cable connections inspect and check for connectivity Inspect and check for functionality Inspect and adjust diverter cams Inspect and adjust diverter cams Inspect and check power cable Inspect and check signal cable Inspect, clean and check cable Sensor Beam Measurements Inspect, clean and calibrate MAINTENANCE TASK Clean Front Window Inspect and clean Clean Front Lens Inspect / Test inspect INTERVAL 3 Months 3 Months 3 Months 3 Months 1 Week 1 Week 1 Week 1 Week 1 Month 1 Week 1 Week 1 Week 1 Week 1 Week 1 Month 1 Month Ν Z A N X X X N/ É ુ -<u>?</u> ્રિપ્યં Ē N/A X X N/A Χ N. E ؙڿۜ TRMI INITIALS Z/A 1 بري ر N/A ₹ ري NA É N/A N/A 5 Ξ. ٠, Ē  $\widehat{z}$ Ś N/A Ź, M N/A N/A ٤ ť É NA -<u>}</u> N. Ę ناز Z N/A تنائيا ). |} | Z Z ~ Ŧ... N/A Š <u>۔</u> د Realigned both N1 and S1 antenna's due to snow hits COMMENTS Month January 2011

Month January 2011

PLAZA LEVEL       Inspect and clean       3 Months       \$\int_{\in\	COMPONENT	MAINTENANCE TASK	INTERVAL	TRMI Intials	COMMENTS
Inspect and check cable connections Check Battery Condition  3 Months  Nonths 6 Months 6 Months	PLAZAILEVEL				
Inspect and check cable connections  One  Check Battery Condition	AVI (MARKIV) Cabinet	Inspect and clean	3 Months		
Inspect and check cable connections N/A  Inspect and check cable connections 6 Months  Inspect and check cable connections 6 Months  Inspect and check cable connections 6 Months  Check Battery Condition	Leased Modems	Inspect and check cable connections	1 Month	ر وڏ	
Inspect and check cable connections 6 Months Inspect and check cable connections 6 Months Inspect and check cable connections 6 Months  None Check Battery Condition	Wireless Access Point	Inspect and check cable connections	N/A	N/A	
Inspect and check cable connections 6 Months Inspect and check cable connections 6 Months None Check Battery Condition	Plaza Workstation	Inspect and check cable connections	6 Months	)k.o	
Inspect and check cable connections 6 Months  None  Check Battery Condition	Laser Printer	Inspect and check cable connections	6 Months	310	
	VES Server	Inspect and check cable connections	6 Months	You '	
	Ethernet Communications Hub	None			
	UPS Units	Check Battery Condition			

Host Computer Subsystems	Host Computer Database (TRToll)	Host Computer Database (Toll)	HOST LEVEL
Inspect, clean	Check database status and performance Receive database export, test backups	Check database status and performance Receive database export, test backups	
6 Months	1 Week	1 Week	
_	7	7	

Plaza Dover Toll Plaza Month January 2011

	13	3 Months	Inspect, clean lens and check cable connections	Autosense II
	RC	3 Months	Inspect	AVI (MARKIV) RF Module
	₽c	3 Months	Inspect, clean and check cable	AVI (MARKIV) Antenna
	₽C.	3 Months	Sensor Beam Measurements	Autosense II
	PC	1 Month	Clean Front Lens	Island Traffic Signals
	RC	1 Month	Clean Front Window	Patron Fare Display
	RC	1 Month	Inspect and clean	Lane Controller
	RC RC	2 Week	Inspect, clean and calibrate	Coin Sorter
	N/A N/A N/A N/A	N/A	Inspect and check for connectivity	Portable Terminal (PDA)
	RERERE	1 Week	Inspect and check for functionality	Traffic Loop
	RCRORCEC	1 Week	Inspect and check cable connections	Treadle Pad
	RORCER RC	1 Week	Inspect and check cable connections	Attendant Identification Display
	RC RC RC RC	1 Week	Inspect / Test	Canopy Override Switch
	RCKRCK	1 Week	Inspect and check cable connections	ACM Monitor and Mouse
	RCRCROC	1 Week	Inspect and adjust diverter cams	Double Vault Cabinet
	N/A N/A N/A N/A	N/A	Inspect and adjust diverter cams	Triple Vault Cabinet
Replaced \$2 broken rear VES light	RORORO PC	1 Week	Inspect and check power cable	VES Lights
	RCRCRCRC	1 Week	Inspect, check cable connections and alignment	VES Camera
	RURURURG	1 Week	Inspect and check cable connections	Booth Speaker
	RC TO TO BO	1 Week	Inspect and check cable connections	Touch Screen
	RC CO PC PC	1 Week	Inspect and check signal cable	Receipt Printer
				LANELEVEL
COMMENTS	TRMI INITIALS	INTERVAL	MAINTENANCE TASK	COMPONENT

Month January 2011

COMPONENT	MAINTENANCE TASK	INTERVAL	TRMI Intials	COMMENTS
PLAZA LEVEL				
AVI (MARKIV) Cabinet	Inspect and clean	3 Months	RC	
Leased Modems	Inspect and check cable connections	1 Month	RC	
Wireless Access Point	Inspect and check cable connections	N/A		
Plaza Workstation	Inspect and check cable connections	6 Months	R	
Laser Printer	Inspect and check cable connections	6 Months		
VES Server	inspect and check cable connections	6 Months		The state of the s
Ethemet Communications Hub	None			
UPS Units	Check Battery Condition		RC.	

Host Computer Subsystems	Host Computer Database (TRToll)	Host Computer Database (Toll)	HOST LEVEL
inspect, clean	Check database status and performance Receive database export, test backups	Check database status and performance Receive database export, test backups	
6 Months	1 Week	1 Week	
	an)	3	

Rochester Toll Plaza

	OC.	3 Months	inspect, clean lens and check cable connections	Autosense II
	PC.	3 Months	Inspect	AVI (MARKIV) RF Module
	&	3 Months	Inspect, clean and check cable	AVI (MARKIV) Antenna
	Dig	3 Months	Sensor Beam Measurements	Autosense II
	R	1 Month	Clean Front Lens	Island Traffic Signals
	RC.	1 Month	Clean Front Window	Patron Fare Display
	lC.	1 Month	Inspect and clean	Lane Controller
	RC RC	2 Week	Inspect, clean and calibrate	Coin Sorter
	N/A N/A	N/A	inspect and check for connectivity	Portable Terminal (PDA)
,	RCK REPC	1 Week	Inspect and check for functionality	Traffic Loop
Replaced S2 treadle pad	RC RC RC RC	1 Week	Inspect and check cable connections	Treadle Pad
	RRRR	1 Week	Inspect and check cable connections	Attendant Identification Display
	RC RC RORC	1 Week	Inspect / Test	Canopy Override Switch
	RCKC KC KC	1 Week	Inspect and check cable connections	ACM Monitor and Mouse
	RECRETE	1 Week	Inspect and adjust diverter cams	Double Vault Cabinet
	N/A N/A N/A N/A	N/A	Inspect and adjust diverter cams	Triple Vault Cabinet
	ROKOKO DO	1 Week	Inspect and check power cable	VES Lights
	RECE	1 Week	Inspect, check cable connections and alignment	VES Camera
	RRRCC	1 Week	Inspect and check cable connections	Booth Speaker
	RKKKK	1 Week	Inspect and check cable connections	Touch Screen
	re he he he	1 Week	Inspect and check signal cable	Receipt Printer
				IANE EVEL
COMMENTS	TRMI INITIALS	INTERVAL	MAINTENANCE TASK	COMPONENT

Month January 2011

				HOST LEVEL
	RC		Check Battery Condition	UPS Units
			None	Ethernet Communications Hub
	2	6 Months	Inspect and check cable connections	VES Server
		6 Months	Inspect and check cable connections	Laser Printer
	RC.	6 Months	Inspect and check cable connections	Plaza Workstation
	N/A	N/A	Inspect and check cable connections	Wireless Access Point
	RC.	1 Month	Inspect and check cable connections	Leased Modems
	2C	3 Months	inspect and clean	AVI (MARKIV) Cabinet
				PLAZA LEVEL
COMMENTS	TRMI Intials	INTERVAL	MAINTENANCE TASK	COMPONENT

Host Computer Database (TRToll)

Host Computer Subsystems

Host Computer Database (Toll)

Check database status and performance Receive database export, test backups

Check database status and performance Receive database export, test backups

Inspect, clean

6 Months

1 Week

1 Week

THE PHAZE

Autosense II Inspect, clean lens and check cable connections	AVI (MARKIV) RF Module	AVI (MARKIV) Antenna Inspect, clean and check cable	Autosense II Sensor Beam Measurements	Island Traffic Signals Clean Front Lens	Patron Fare Display Clean Front Window	Lane Controller Inspect and clean	Coin Sorter Inspect, clean and calibrate	Portable Terminal (PDA) Inspect and check for connectivity	Traffic Loop Inspect and check for functionality	Treadle Pad Inspect and check cable connections	Attendant Identification Display Inspect and check cable connections	Canopy Override Switch Inspect / Test	ACM Monitor and Mouse Inspect and check cable connections	Double Vault Cabinet Inspect and adjust diverter cams	Triple Vault Cabinet Inspect and adjust diverter cams	VES Lights Inspect and check power cable	VES Camera Inspect, check cable connections and alignment	Booth Speaker Inspect and check cable connections	Touch Screen Inspect and check cable connections	Receipt Printer Inspect and check signal cable	LANE LEVEL	
ctions 3 Months	3 Months	3 Months	3 Months	1 Month	1 Month	1 Month	2 Week	2 Week	1 Week	1 Week	1 Week	1 Week	1 Week	1 Week	1 Week	1 Week	ment 1 Week	1 Week	1 Week	1 Week		
3	9	8	3	Ø	Ø	J				0000	3 0 0	(C) (C) (C) (C)				9		(F) (C) (C)				
					0					Treache Change in 112,												(water state)

Month December 2010